	Applicati	ion No.	Applicant(s)
Notice of Allowability	 09/482,67	79	 HEITMANN, UWE
	Examine		Art Unit
	Carlos	Lopez	1731
The MAILING DATE of this communical All claims being allowable, PROSECUTION ON THE MAILING DATE of Allowance (NOTICE OF ALLOWABILITY IS NOT A GRANT OF PLOTE OF ALLOWABILITY IS NOT A GRANT OF PLOTE OF THE OFFICE OF ALLOWABILITY IS NOT A GRANT OF PLOTE OF ALLOWABILITY IS NOT A GRANT OF ALLOWABILITY IS NOT A GRAN	tion appears on the ERITS IS (OR REMAPTOL-85) or other appears. The ATENT RIGHTS. The CFR 1.313 and MPERTOL-81	e cover sheet with AINS) CLOSED in oppropriate communis application is seen 1308. C. § 119(a)-(d) or sived. Sixed in Application are been received.	th the correspondence address-this application. If not included inication will be mailed in due course. THIS ubject to withdrawal from issue at the initiative (f).
(a) 🗌 The translation of the foreign language provisional application has been received.			
6. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE			
7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
8. CORRECTED DRAWINGS must be submitted. (a) including changes required by the Notice of	Draftsperson's Pater	nt Drawing Reviev	v (PTO-948) attached
1) hereto or 2) to Paper No			
(b) including changes required by the proposed drawing correction filed, which has been approved by the Examiner.			
(c) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet.			
9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s)			
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PT 5 Information Disclosure Statements (PTO-1449), Pa 7 Examiner's Comment Regarding Requirement for D of Biological Material 	oer No	4∏ Interview 6⊠ Examine	Informal Patent Application (PTO-152) Summary (PTO-413), Paper No r's Amendment/Comment r's Statement of Reasons for Allowance .
U.S. Patent and Trademark Office PTO-37 (Rev. 04-03) Noti	ce of Allowability	<u> </u>	Part of Paper No. 222

Application/Control Number: 09/482,679

Art Unit: 1731

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

To correct obvious typing errors, the application has been amended as follows:

At line 7 of claim 1, "existing" was deleted and - - exiting- - was inserted.

At line 7 of claim 11, "existing" was deleted and - - exiting- - was inserted.

The following is an examiner's statement of reasons for allowance: The cited prior art fails to disclose or reasonably suggest providing a device for creating a spread-out stream of tobacco fibers having "at least one air nozzle having an air flow opening interrupting the guide track ... wherein the nozzle has a downstream wall, in relation to the conveyance direction of the fiber stream, which makes a transition into the guide track in a steady convex curvature". The closest prior art Stephan et al (US 5,941520) which was previously considered in view of Orihara US 5967146 provides the claimed downstream wall but fails to disclose or reasonably suggest applying the nozzle to convey tobacco particles as opposed to sheets and thus as further noted by Applicant's representative "The conveying of paper sheets along a horizontal conveying track (as disclosed by Stephan) does not allow conclusions to be drawn as to conveying and uniform spreading of a tobacco-fiber flow along a sliding surface that changes concave from the horizontal to the vertical direction, as is required for the distributor of a cigarette rope machine."

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Art Unit: 1731

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Carlos Lopez whose telephone number is (703) 605-1174. The examiner can normally be reached on Mon.-Fri. 8am - 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Steven Griffin can be reached on (703) 308-1164. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 305-7718 for regular communications and (703) 305-3599 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0661.

STEVEN F. GARLET WEST STEVEN F. GARLET WAS SUPERVISORY PATENT FXAMILY OF TECHNOLOGY CENTER 1.70°C

C.L June 26, 2003